


The Garbaruk logo is centered in the image. It features the brand name in a bold, italicized, sans-serif font. The letters are white with a thick black outline, giving it a three-dimensional appearance. The background of the entire image is a light blue color with a repeating pattern of white hexagons, each containing a small white letter 'G'.

garbaruk

How to check if our crankset is compatible with your bike




 **garbaruk**

To check, if our crankset is compatible
with your bike, please refer to the
bottom bracket compatibility table


Bottom bracket compatibility table

	Spindle D30			Spindle D29 (SRAM_DUB)		
	MTB Spindle136,5 CI 52	Road/Gravel Spindle 130,5 CL45/47,5	MTB Spindle 140,5 CI 55	MTB Spindle 136,5 CI 52	Road/Gravel Spindle 130,5 CL45/47,5	MTB Spindle 140,5 CI 55
BSA 68	✓	✓	✓	✓	✓	✓
BSA 73	✓		✓	✓		✓
T47 68 External		✓			✓	
T47 73 External	✓		✓	✓		✓
T47 73 Internal	✓		✓	✓		✓
T47 83 Internal	✓		✓	✓		✓
T47 85,5 Internal		✓			✓	
T47 86,5 Internal		✓			✓	
T47 89,5 Internal	✓		✓	✓		✓
T47 92 Internal	✓		✓	✓		✓
PF30-68 (PressFit D46)		✓			✓	
PF30-73 (PressFit D46)	✓	✓	✓	✓		✓
PF30-83 (PressFit D46)	✓		✓	✓		✓
BB 386 86,5 (PressFit D46/ PF386)		✓			✓	
BB 392 92 (PressFit D46/ PF392)	✓		✓	✓		✓
BB86 D41/86,5 (PressFit D41)		✓			✓	
BB89,5 D41/89,5 (PressFit D41)	✓		✓	✓		✓
BB92 D41/92 (PressFit D41)	✓		✓	✓		✓
BB30 (PressFit D42) 68		✓			✓	
BB30 (PressFit D42) 68	✓	✓	✓	✓		✓
BB30 (PressFit D42) 83	✓		✓			


For Spindle L=130.5mm.
(Road/Gravel crankset) maximum
bottom brackets width 92mm.



For Spindle L=136.5mm. (XC
crankset/Enduro crankset) maximum
bottom brackets width 98mm.




For Spindle L=140.5 mm. maximum
bottom brackets width 98mm.



If you're not sure about your bottom bracket, please follow the guide to measure your bottom bracket width

Step 1

Disassemble your old crank system



Step 2

Measure bottom bracket width.

